

HDS Lighting Company

LED Tube Lights - UL Approved

T8 LED TUBE LIGHTS

Item No.	Description	Quantity	Price/unit USD
HDS-FY-T8-600-2755	<p>T8 led tube</p> <ol style="list-style-type: none"> 1) Input Voltage: AC 120V--277V 2) Length:600mm/ 2' (2 Foot) 3) Color Temperature:4500K(±300K) 4) PC Cover: Frosted 5) Lumens:650LM(±5%) 6) Power consumption:9W 7) Certification: UL(E341041) UL label 8) Warranty: Three years 	2	\$57.50
HDS- FY-T8-600- 2755	<p>T8 led tube</p> <ol style="list-style-type: none"> 1) Input Voltage: AC 120V--277V 2) Length:600mm/ 2' (2 Foot) 3) Color Temperature:5600K(±300K) 4) PC Cover: Frosted 5) Lumens:650LM(±5%) 6) Power consumption:9W 7) Certification: UL(E341041) UL Label 8) Warranty: Three years 	2	\$54.50
HDS-FY-T8-1200-4130	<p>T8 led tube</p> <ol style="list-style-type: none"> 1) Input Voltage: AC 120V--277V 2) Length:1200mm/ 4' (2 Foot) 3) Color Temperature:3000K-4000K 4) PC Cover :Frosted 5) Lumens:1400LM(±5%) 6) Power consumption:18W 7) Certification: UL(E341041) UL label 8) Warranty: Three years 	2	\$78.50
HDS-FY-T8-1200-4130	<p>T8 led tube</p> <ol style="list-style-type: none"> 1) Input Voltage: AC 120V--277V 2) Length:1200mm/ 4' (4 Foot) 3) Color Temperature:4000-5000K 4) PC Cover: Frosted 5) Lumens:1400LM(±5%) 6) Power consumption:18W 7) Certification: UL(E341041) UL label 8) Warranty: Three years 	2	\$78.50
HDS-FY-T8-1200-4130	<p>T8 led tube</p> <ol style="list-style-type: none"> 1) Input Voltage: AC 120V--277V 2) Length:1200mm/ 4' (4 Foot) 3) Color Temperature:5000-6000K 4) PC Cover: Frosted 5) Lumens:1400LM(±5%) 6) Power consumption:18W 7) Certification: UL(E341041) UL label 8) Warranty: Three years 	2	\$78.50

Prices do not include shipping costs

(Average Shipping cost \$9.00/bulb)

Optical Parameters:

Electrical Parameters:

Contact

Michael Sans US Sales Director

mikes@hdsighting.com

HDS Lighting Company

LED Tube Lights - UL Approved

Luminous efficiency : 100lm/w

Luminaire efficiency: 90%

Color Temperature:

Warm White: 2700-3500K

Neutral White: 3500-5000K

Cool White: 5000-7000K

Input Voltage: AC85-277V

Frequency: 50-60Hz

Power Supply Efficiency: 90%

PFC: 0.95

Basic Parameters

Part No.	FY-T8-1200-DIP
Input Voltage	AC85-277V,50-60Hz
Power Supply Efficiency	0.9
Output Wattage	18W
LED Quantity	288PCS
Luminous Flux	1800lm
Light Source	Top DIP LED
luminaire efficiency	0.9
luminous efficiency	100lm/w
Working Temperature	(-20 ~ 45°)
Power Factor	0.9
Product Size	D26*L1200mm
Color Temperature	WW(2700-3500K)/NW(3500-5500k)/CW(5500-7000K)
Net Weight	240g
Color Index(Ra)	70-80Ra
PC Cover	Transparent/Striped/Frosted
Housing(Crust)	Aluminum Housing
life span	50000 hours
Warranty:	3 Years

UL certificate of LED T8 led tube lamp

Full plastic end cap to insure the safety

HDS Lighting's LED Tube Lights are manufactured in China

Shipping cost not included in pricing and subject to change without notice

Payment in full upon order

Delivery 15 days from order

Contact

Michael Sans US Sales Director

mikes@hdsighting.com

HDS Lighting Company

LED Tube Lights - UL Approved

U-SHAPED LED LIGHTS

CLEAR COVER



FROSTED COVER




T8 U Shape Tube light quotation

U Shaped T8 LED Tube with CE and ROHS Certification

Item NO.	PC Cover	Wattage	Input voltage	LEDs	Lumens	Led source	Beam angle	CRI	Color Temperature	PF	Factory (USD)
											<1000
HDS-FY-U-288-C	Clear	18W	AC85-265V	288pcs	1700lm	SMD 3528	120	>70	WW/NW/CW	0.88	US\$78.50
HDS-FY-U-288-F	Frosted	18W	AC85-265V	288pcs	1550lm	SMD 3528	120	>70	WW/NW/CW	0.88	US\$78.50

Warm White: 2700-3500K Neutral White: 3500-5000K Cool White: 5000-7000K

Dimensions



Packing



**Remark: Payment in full upon order – Delivery 15 days from payment
Prices good for 90 days**

Prices do not include shipping costs (Average Shipping cost \$9.00/bulb)

Contact

Michael Sans US Sales Director

mikes@hdsighting.com